



Certificate of Conformity of the Factory Production Control

Certificate No:

2404 – CPR – HRC1035

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (The Construction Products Regulation or CPR), This certificate applies to the construction product.

Masonry Mortar

Marka	Compressive Strength	Bond Strength	Water Absorption Coefficient	Water Vapor Permeability	Thermal Conductivity	Chloride Content
Experbond CM 20	≥ 5 N/mm ²	0,3 N/mm ²	$\leq 0,4$ kg7m ² .dak0,5	<5/20	(P=%50) $\leq 0,33$	$\leq \% 0,1$
ExperBond CG 21	≥ 5 N/mm ²	0,30 N/mm ²	$\leq 0,4$ kg7m ² .dak0,5	<5/20	(P=%50) $\leq 0,47$	$\leq \% 0,1$

placed on the market by;

GÜVEN MADENCİLİK SANAYİ TİCARET ANONİM ŞİRKETİ

Organize Sanayi Bölgesi 302 Cadde No:2 Salihli / MANİSA

produced in the factory;

GÜVEN MADENCİLİK SANAYİ TİCARET ANONİM ŞİRKETİ

Organize Sanayi Bölgesi 302 Cadde No:2 Salihli / MANİSA

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 998-2:2016

System 2+

under system < level(s) being certified > are applied and that

This certificate was first issued on 28.05.2024 and will remain valid until 28.05.2025 as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

ANKARA / 28.05.2024

Revision Date and Number / ...

CPC Belgelendirme Muayene Deney Hizmetleri Tic. Ltd. Şti.

Çamlıca Mah. (Timko Ticaret Merkezi 1) Anadolu Blv. No:20-R Blok No:4 Yenimahalle/ANKARA

Tel: 0 312 219 7903 • 0 312 219 4237 • 0312 219 4637 • Fax: 0 312 219 7923

www.cpcert.org info@cpcert.org

